



# CUT LEVEL 3 NITRILE DIPPED GLOVES

## ULTIMATE DURABILITY. ALL DAY COMFORT.



EN388 STANDARDS						
Abrasion	1	2	3	4	-	-
Cut Resistance (Coup Test)	1	2	3	4	5	X*
Tearing	1	2	3	4	-	-
Puncture	1	2	3	4	-	-
Cut Resistance (TDM Test)	A	B	C	D	E	F

\*If the coupe test provides a 3 or above it is marked as an "X" for not applicable and uses the TDM 100 test instead

SMARTWIPE™ Touch  
Screen Compatible  
Fingertips & Palms

High Dexterity  
Fingertips

Web Grip  
More comfortable fit

Breathable Back

Best-in-Class  
Puncture Resistance

Color-Coded Bands  
Easy cut level  
identification



### SPECIFICATIONS

Gauge	15
Liner Material	Nylon and HPPE Blend Knit
Dip Material	Nitrile
Cuff Style	Elasticated Knit

### RECOMMENDED APPLICATIONS

- Demolition
- Material Handling
- Oily & Wet Conditions
- General Work
- Wire Stripping
- Pipe Threading
- Cutting

### CARE INSTRUCTIONS

Machine wash warm water (105°F),  
mild detergent, no bleach.  
Line dry.

SIZE	1 PAIR	12 PAIR (Contractor Pack)
S	48-22-8930	48-22-8930B
M	48-22-8931	48-22-8931B
L	48-22-8932	48-22-8932B
XL	48-22-8933	48-22-8933B
XXL	48-22-8934	48-22-8934B

# SEE MORE PPE



or visit <https://qr.mke.it/2hz48>



Milwaukee

OUT LEVEL 3

9 1/2 L  
18-22-9932

SWEATSHIRT™



